

**Tender A - 13**

Phone No. 254295, Fax.No. 254066,(STD 02487

E-mail – kukadisugar@rediffmail.com

**Karmyogi Kundalikrao Ramrao Jagtap Patil Kukadi Sahakari Sakhar Karkhana Ltd.,**

P.O. Pimpalgaon Pisa, Tal :Shrigonda , Dist : Ahmednagar

Ref No.: KKRJPKSSK/Pur/ /2021-22

Date: / /2021

M/s \_\_\_\_\_

Sir,

It is our intention to procure the following materials / contract out our factory work and we are inviting quotations for the same. For that send your quotation in sealed cover pocket to our factory address. The last date for sending will be Date // 2021. Request No. of the concerned department.....

Sr. No	Name of the articles with Specification	Required No. or Quantity	Rate Quoted	
			Exclusive Duty & Taxes	Inclusive Duty & Taxes
<b>A-13</b>	<b><u>Instruments spears:</u></b>			
1)	Signal Isolators, Make- SPA INSTRUMENTS, I/P 4-20 mA, O/P4-20 mA, Supply volt 230 v AC	10 Nos.		
2)	Signal Isolators, Make- SPA INSTRUMENTS, I/P 4-20 mA, O/P 0-10 volt, Supply volt 230 v AC	05 Nos.		
3)	Hydro static Level Transmitter, Make- WIKA, for juice tank level high 3 mtr. O/P- 4-20 mA, Supply volt 24 V DC	02 Nos.		
4)	Draft Transmitter. Make- WIKA, Range (-500 To 500 mmWC )	04 Nos.		
5)	Pressure Transmitter, Make- WIKA, Range (0 To 80 KG/cm2 )	01 No.		
6)	Pressure Transmitter, Make- WIKA, Range (0 To 10 KG/cm2 )	01 No.		
7)	Pressure Transmitter , Make- WIKA, Range (0 To 160 KG/cm2 )	01 No.		
8)	Pressure Indicator, Make- NISCO/SHIV, Range (0 To 10 KG/cm2 ) I/P 4-20 mA,supply-230 VAC, display size- 1”,	02 Nos.		
9)	Pressure Indicator, Make- NISCO/SHIV,Range (0 To 60 KG/cm2 ), I/P 4-20 mA, supply-230 VAC, Display size- 1”,	01 No.		
10)	Level Indicator, Make- NISCO/SHIV, Range (0 To 100 % ) I/P 4-20 mA, supply-230 VAC, Display size- 1”,	02 Nos.		
11)	Temp Indicator, Make- NISCO/ SHIV, I/P- universal type, supply-230vac, Display size- 1”,	10 Nos.		
12)	Auto / Manual Loader, Make- NISCO O/P4-20 mA	02 Nos.		
13)	Cable K type Compensating	100 mtr		
14)	I/P convertors, Make- ABB, Type 100X , I/P 4-20 mA, O/P 0.2-1.5 bar	06 Nos.		
15)	Air Filter Regulator, Make- SHAVO, 3/8 BSP Connection, I/P 0-6 Kg/cm2	10 Nos.		
16)	Control Valve Positioner, Make- MIL, Mechanical type Air lock Relay Type Air to Close	02 Nos.		
17)	Control Valve Positioner, Make- MIL Mechanical type Air lock Relay Type Air to open	02 Nos.		
18)	Control Valve Positioner, Make – MIL, Electro Mechanical Type	02 Nos.		
19)	1/2" brass Valve	06 Nos.		
20)	Teflon Tape	50 Nos.		
21)	Copper Tube fitting ferrule, Size - 6 mm	100 Nos.		
22)	M-seal	10 Nos.		
23)	Rat kill	20 Nos.		
24)	cortege Fuse, 0.5 amp	50 Nos.		
25)	Temperature sensor, K Type Dual o/p, Stem Length 100 MM	06 Nos.		
26)	Temperature sensor, K Type Dual o/p, Stem Length 200 MM	06 Nos.		
27)	Temperature sensor K Type Dual o/p, Stem Length 300 MM	06 Nos.		
28)	Digital Multi meter, MECO Model no.82K TRMS	02 Nos.		
29)	Table Top Source, O/P 4-20mA,O/P-0 to 24 Vdc	01 No.		

**Tender A - 13**

30)	CRC spray	06 Nos.		
31)	Photo electric switch Model- IRD 383, Supply- 10 to 24VDC, Output- PNP/NO	25 Nos.		
<b>B)</b>	<b>Gauges :-</b>			
1)	Temperature, Make- TAIWAK/WAAREE(BAUMER) Dial Size 6 Inch, Stem Length 350 MM, Stem OD 8 MM , Stem Size ½ Inch BSP Tread, Range 0-120 deg cc	10 Nos.		
2)	Temperature, Make- TAIWAK/WAAREE(BAUMER), Dial Size 6 Inch, Stem Length 350 MM, Stem OD 8 MM , Stem Size ½ Inch BSP Tread, Range 0-200 deg cc	10 Nos.		
3)	Temperature, Make- TAIWAK/WAAREE(BAUMER), Dial Size 6 Inch, Stem Length 350 MM, Stem OD 8 MM , Stem Size ½ Inch BSP Tread, Range 0-600 deg cc	10 Nos.		
4)	Temperature, Make- TAIWAK/WAAREE(BAUMER), Dial Size 6 Inch, Stem Length 350 MM, Stem OD 8 MM , Stem Size ½ Inch BSP Tread, Range 0-150 deg cc	10 Nos.		
5)	Temperature, Make- TAIWAK/WAAREE(BAUMER), Dial Size 6 Inch, Stem Length 350 MM, Stem OD 8 MM , Stem Size ½ Inch BSP Tread, Range 0-100 deg cc	06 Nos.		
6)	Compound pressure Gauges, Make- TAIWAK/WAAREE(BAUMER) Dial Size 6 Inch, Stem Length 350 MM, Stem OD 8 MM , Stem Size ½ Inch BSP Tread, Range 0-2Kg/cm2 & 0 to -1 Kg/cm2	08 Nos.		
7)	Compound pressure Gauges, Make- TAIWAK/WAAREE(BAUMER), Dial Size 6 Inch, Stem Length 350 MM, Stem OD 8 MM , Stem Size ½ Inch BSP Tread, Range 0-2Kg/cm2 & 0 to -760 mm HG RU	08 Nos.		
8)	Vacuum Gauge, Make - TAIWAK/H GURU Dial Size 6 Inch, Stem Length 350 MM, Stem OD 8 MM , Stem Size ½ Inch BSP Tread, Range 0 to -760 mmHG	08 Nos.		
9)	Pressure gauge, Make- TAIWAK/WAAREE(BAUMER), Dial Size 6 Inch, connection Size ½ Inch BSP Tread Bottom connection, Range 0-4 Kg/cm2	12 Nos.		
10)	Pressure gauge, Make- TAIWAK/WAAREE(BAUMER), Dial Size 6 Inch, connection Size ½ Inch BSP Tread Bottom connection, Range 0-7 Kg/cm2	12 Nos.		
11)	Pressure gauge, Make- TAIWAK/WAAREE(BAUMER), Dial Size 6 Inch, connection Size ½ Inch BSP Tread Bottom connection, Range 0-2.5 Kg/cm2	12 Nos.		
12)	Pressure gauge, Make- TAIWAK/WAAREE(BAUMER), Dial Size 6 Inch, connection Size ½ Inch BSP Tread Bottom connection, Range 0-15 Kg/cm2	12 Nos.		
13)	Pressure gauge, Make- TAIWAK/WAAREE(BAUMER), Dial Size 6 Inch, connection Size ½ Inch BSP Tread Bottom connection, Range 0-20 Kg/cm2	12 Nos.		
<b>C)</b>	<b>Hi-TECH SUGAR AUTOMATIC WIEGHING MACHINE SPARE</b>			
1)	Bag Clamp Pad	06 Nos.		
2)	Limit Switch ( O/P 24 Volt DC)	03 Nos.		
3)	Auto / Manual Switch	06 Nos.		
4)	Load Bucket Ducting Rubber	06 Nos.		
5)	Relay Card(8 Relay 24 VDC Moduler Rlay set)	02 Nos.		
6)	Loadcell (100 Kg capacity)Make- Sensomatic	02 Nos.		
7)	Air pressure flow control valve	02 Nos.		
8)	Anti sway wire rope assembly	04 Nos.		
9)	Filter lubricator unit	02 Nos.		
10)	Cylinder Repair Kit A)Air cylinder repair kit for SP-1 B) Air cylinder repair kit for SP-2 C) Air cylinder repair kit for SP-3	05 Kit. 05 Kit. 05 Kit.		

**Tender A - 13**

	D) Air cylinder repair kit for Load bucket	05 Kit.		
	E) Air cylinder repair kit for Bag clamp	05 Kit.		
11)	230 VAC contactor, ID1-9, VAC- 240v, KW-2.5	02 Nos.		
12)	Solenoid valve coil, 24VDC	10 Nos.		
<b>D)</b>	<b>WTP Instruments</b>			
1)	Conductivity sensor with probe, Make-Forbes Marshall(FM8310) Model-Aquacon smart pro 8967, Range-(0-100us/cm) and (0-1us/cm)	02 Nos.		
2)	PH/ ORP sensor with probe Make-Forbes Make-Marshall(FM1104), Model-Aquacon smart pro 8966 Range-(0-14PH)	02 Nos.		
3)	Conductivity electrode with probe Make-Hanna instruments, Model-HI-7630, Range-(0-199.9 ms/m)	04 Nos.		
4)	PH electrode with probe Make-Hanna instruments, Model-HI-2221, Rnge-(0-14PH)	06 Nos.		
5)	Glass tube rotameter Make-Eureka,Size-PG-3, Range-(0-80m3/hr)	04 Nos.		
6)	Ventury type ejector for MB acid and alkali ejector Model-1136,Ratio-(1:1)	04 Nos.		
7)	PH meter Make-Eligo/Hanna instruments, Rnge(0-14PH)	02 Nos.		
8)	Spur fibe tube for Rotameter Make-Astor, Model-20000, Range-(0-20000LPH)	02 Nos.		
9)	Level transmitter Make-Yokogawa/Wika, Type-Flush diaphragm type Model-EJA220A	04 Nos.		
10)	Level Indicator, Make- NISCO Range (0 To 100 % ) I/P 4-20 mA, supply-230vac	02 Nos.		

**Please note the following instructions:-**

- 1) Whether you are manufacturer / Registered dealer / Suppler, If Mfg / RD / Supplier. please quote your registration No .....
- 2) If you are supplier, then whether you are in position to submit 'S' Invoice.
- 3) Please quote correct Central Excise Chapter Heading of the capital goods/ chemicals which you are going to supply.
- 4) If the Central Excise Chapter heading of the capital goods is not mentioned in quotation form you will not be called for negotiation please note.
- 5) Quotations received after the date mentioned above will not be considered.
- 6) The rates quoted by you will be considered to be in force for 30 days from the date of receipt.
- 7) The word QUOTATION and above enquiry No Should be invariable written on the envelop.
- 8) Credit facilities should be mentioned please mention the % of discount that you would allow.
- 9) The delivery period should be correctly mentioned, whether from ready stock or from incoming consignment within the period of. By fax No 02487 – 254066.
- 10) The destination place of the delivery of goods should be clearly mentioned.

Yours Faithfully

**Managing Director**  
KKRJP KUKADI SSK Ltd.